







# William B. Rudow, Inc. Depanner Cups and Retainers









The highest quality FDA approved silicone rubber is precision molded into a variety of flexible, extremely durable Rudow Depanner Cups. All of our Depanner Cups are rated for temperatures ranging from -60° F to +400° F (-51° C to +204° C).

We have revolutionized the industry by creating the Twist-R-Lock Cup Retainer System! These suction cup retainers provide the most time efficient method of installing and removing both the cup and retainer, which is now as easy as turning a screw. Our unique “twist-in” feature will reduce your maintenance down time with rapid insertion and removal of retainers and suction cups. All Rudow Retainers are made from FDA approved, metal-detectable material.

PART #	PHOTO	Sizes - Inches			Sizes - Millimeters			Durometer	Metal Detectable
		O.D	I.D	Height	O.D	I.D	Height		
117A		1.70	0.62	1.60	43.2	15.7	40.6	40	YES
117B		1.70	0.62	1.60	43.2	15.7	40.6	30	YES
118A		1.56	0.57	1.50	39.6	14.5	38.1	40	YES
118B		1.56	0.57	1.50	39.6	14.5	38.1	30	YES

PART #	PHOTO	Sizes - Inches			Sizes - Millimeters			Durometer	Metal Detectable
		O.D	I.D	Height	O.D	I.D	Height		
118C		1.56	0.57	1.50	39.6	14.5	38.1	40	NO
119B		1.35	0.55	1.30	34.3	14.0	33.0	30	YES
120B		1.65	0.59	1.49	41.9	15.0	37.8	30	YES
120C		1.65	0.59	1.49	41.9	15.0	37.8	30	NO
121B		1.57	0.59	1.49	39.9	15.0	37.8	40	YES
121C		1.57	0.59	1.49	39.9	15.0	37.8	40	NO

PART #	PHOTO	DESCRIPTION
122F		<p style="text-align: center;"><b>122F TWIST-R-LOCK RETAINER</b> Standard Retainer, Metal Detectable</p>
122FH		<p style="text-align: center;"><b>122FH TWIST-R-LOCK HARD RETAINER</b> Hard Retainer, Metal Detectable</p>
122FL		<p style="text-align: center;"><b>122FL TWIST-R-LOCK RETAINER</b> Tall Retainer, Metal Detectable</p>
122R 3/8"		<p style="text-align: center;"><b>122R 3/8" ROUND HOLE RETAINER</b> Metal Detectable</p>
122R 5/16"		<p style="text-align: center;"><b>122R 5/16" ROUND HOLE RETAINER</b> Metal Detectable</p>
122FP		<p style="text-align: center;"><b>122FP PLUG</b> Standard Plug, Metal Detectable</p>

122FHP		<p><b>122FHP HARD PLUG</b> Hard Plug, Metal Detectable</p>
122T		<p><b>122T INSERTION TOOL</b> For all Twist-R-Lock Retainers</p>



**William B. Rudow, Inc.**

1122 Goodrich Avenue  
Sarasota, FL 34236  
www.rudow.com

Phone: 941-957-4200  
Fax: 941-955-7666  
E-mail: info@rudow.com

