







# William B. Rudow, Inc. 600 Series




Part #	Photo	Size - Inches			Sizes - Millimeters		
		O.D.	I.D.	Height	O.D.	I.D.	Height
619-A		0.625	0.125	0.500	15.875	3.175	12.700
619-AY		0.625	0.125	0.500	15.875	3.175	12.700
619-B		0.625	0.188	0.500	15.875	4.763	12.700
620-A		0.875	0.156	0.750	22.225	3.969	19.050
621-A		1.000	0.156	0.563	25.400	3.969	14.288
621-AR		1.000	0.156	0.563	25.400	3.969	14.288
621-Y		1.000	0.250	0.563	25.400	6.350	14.288
622-C		0.750	0.250	0.563	19.050	6.350	14.288
622-G		0.750	0.125	0.563	19.050	3.175	14.288
622-OR		0.750	0.250	0.563	19.050	6.350	14.288
622-W		0.750	0.250 reduces to 0.125	0.563	19.050	6.350 reduces to 3.175	14.288

Part #	Photo	Size - Inches			Sizes - Millimeters		
		O.D.	I.D.	Height	O.D.	I.D.	Height
622-WR		0.750	0.250 reduces to 0.125	0.563	19.050	6.350 reduces to 3.175	14.288
630-A		0.750	0.188	0.250	19.050	4.763	6.350
630-B		0.750	0.250	0.250	19.050	6.350	6.350
630-C		1.000	0.250	0.250	25.400	6.350	6.350
636-B		0.875	0.125	0.500	22.225	3.175	12.700
637-B		0.750	0.125	0.500	19.050	3.175	12.700
642-Y		0.625	0.156	0.750	15.875	3.969	19.050
643		1.000	0.250	0.375	25.400	6.350	9.525
645		1.125	0.188	0.500	28.575	4.763	12.700
650-G		0.875	0.156	0.750	22.225	3.969	19.050
653-Y		0.750	0.156	0.625	19.050	3.969	15.875
654		1.000	0.250	0.500	25.400	6.350	12.700

Part #	Photo	Size - Inches			Sizes - Millimeters		
		O.D.	I.D.	Height	O.D.	I.D.	Height
655		1.000	0.313	0.500	25.400	7.938	12.700
656		0.875	0.156	0.500	22.225	3.969	12.700
665-Y		0.750	0.156 reduces to 0.125	0.625	19.050	3.969 reduces to 3.175	15.875
666-B		0.625	0.250 reduces to 0.125	0.500	15.875	6.350 reduces to 3.175	12.700
666-C		0.625	0.125	0.500	15.875	3.175	12.700
666-R		0.625	0.250 reduces to 0.125	0.563	15.875	6.350 reduces to 3.175	14.288
669		0.750	0.156	0.750	19.050	3.969	19.050
686		0.500	0.125	0.500	12.700	3.175	12.700
687-B		0.750	0.250	0.375	19.050	6.350	9.525
688		0.750	0.125	0.500	19.050	3.175	12.700
689		0.375	0.125	0.500	9.525	3.175	12.700
691-B		1.000	0.250	0.375	25.400	6.350	9.525

Part #	Photo	Size - Inches			Sizes - Millimeters		
		O.D.	I.D.	Height	O.D.	I.D.	Height
692-C		1.125	0.250	0.875	28.575	6.350	22.225
692-CNB		1.125	0.250	0.875	28.575	6.350	22.225
697		1.625	0.375	0.500	41.275	9.525	12.700
6104-B		0.438	0.125	0.500	11.113	3.175	12.700
6106		0.813	0.250	0.250	20.638	6.350	6.350
6107-B		1.000	0.250	0.250	25.400	6.350	6.350
6107-Y		1.000	0.250	0.250	25.400	6.350	6.350
6113		0.625	0.375	0.625	15.875	9.525	15.875
6116		0.625	0.250	0.750	15.875	6.350	19.050
6130		0.875	0.125	0.500	22.225	3.175	12.700
6137		0.500	0.250	0.375	12.700	6.350	9.525
6138		1.000	0.250	0.563	25.400	6.350	14.288

Part #	Photo	Size - Inches			Sizes - Millimeters		
		O.D.	I.D.	Height	O.D.	I.D.	Height
6139		0.500	0.250	0.375	12.700	6.350	9.525
6140		0.750	0.125	0.563	19.050	3.175	14.288
6140-R		0.750	0.188	0.563	19.050	4.763	14.288
6141		0.813	0.250	0.750	20.638	6.350	19.050
6142		0.813	0.156	0.750	20.638	3.969	19.050
6144		0.688	0.250	0.750	17.463	6.350	19.050
6145		0.813	0.250	0.875	20.638	6.350	22.225
6148		0.500	0.156	0.500	12.700	3.969	12.700
6149		0.813	0.125	0.750	20.638	3.175	19.050
6152-C		0.750	0.250	0.563	19.050	6.350	14.288
6155-B		0.688	0.125	0.688	17.463	3.175	17.463
6155-Y		0.688	0.125	0.688	17.463	3.175	17.463

Part #	Photo	Size - Inches			Sizes - Millimeters		
		O.D.	I.D.	Height	O.D.	I.D.	Height
6160		0.813	0.250	0.500	20.638	6.350	12.700
4200-C		0.625	0.188	0.500	15.875	4.763	12.700
4200-GN		0.625	0.813	0.500	15.875	20.638	12.700
7200		0.750	0.156	0.750	19.050	3.969	19.050
7200 V		0.750	0.156	0.750	19.050	3.969	19.050
9200		0.563	0.156	0.563	14.288	3.969	14.288
9200-V		0.563	0.156	0.563	14.288	3.969	14.288



## WILLIAM B. RUDOW, INC.

P.O. Box 2300, Sarasota, FL 34230-2300 • (941) 957-4200 • Fax (941) 955-7666

For UPS Shipments Only — 1122 Goodrich Ave., Sarasota, FL 34236-2690

E-Mail: [info@rudow.com](mailto:info@rudow.com) • <http://www.rudow.com>